

What is claimed is;

1. A camera comprising;

a display unit that displays a camera setting and/or  
a control state;

5 a mode selection unit that selects at least one mode  
setting position at which a function related to a  
photographing operation can be selected and set;

*Sub A1*  
a selection/setting operation unit that selects and  
sets the function;

10 a reset operation unit that resets the function to a  
specific initial state; and

a reset control unit that implements reset display  
on said display unit when said reset operation unit has  
been operated.

15

2. A camera according to claim 1, wherein;

a release operation is enabled when said mode  
selection unit is set in, at least, one first mode  
setting in which a first function related to a

20 photographing operation can be selected and set and the  
release operation is prohibited when said mode selection  
unit is set in, at least, one second mode setting in  
which a second function other than the first function can  
be selected and set.

25

3. A camera according to claim 1, wherein;  
said reset control unit indicates a reset by  
achieving a no-display state over a specific short period  
of time.

5

4. A camera according to claim 3, wherein;  
said reset control unit indicates a reset by  
momentarily turning off said display unit.

10

5. A camera according to claim 1, wherein;  
said reset operating unit is provided with two  
operating members; and  
said reset control unit determines that said reset  
operation unit has been operated when said two operating  
members have been continuously operated together over a  
period equal to or greater than a predetermined length of  
time.

20

6. A camera reset device comprising;  
a mode selection unit that selects, at least, one  
mode setting state in which a function related to a  
photographing operation can be selected and set;  
a selection/setting operation unit that selects and  
sets the function;

25

a reset operation unit that resets the function to a

specific initial state; and

*Cont  
Sub A2*  
a reset control unit that resets only a function  
which can be selected and set in the mode setting state  
selected by said mode selection unit when said reset  
5 operation unit has been operated.

7. A camera reset device according to claim 6, wherein;  
a release operation is enabled when said mode  
selection unit is set in, at least, one first mode  
10 setting in which a first function related to a  
photographing operation can be selected and set and the  
release operation is prohibited when said mode selection  
unit is set in, at least, one second mode setting in  
which a second function other than the first function can  
15 be selected and set.

*Sub  
A3*  
8. A camera reset device according to claim 7, wherein;  
said mode selection unit is capable of selecting, at  
least, one setting among photographing condition settings  
20 in which a photographing condition of a photographing  
operation started by issuing a photographing start  
instruction in said camera can be set, a custom setting,  
in which value settings for a plurality of functions can  
be set independently of one another and a film  
25 sensitivity setting in which the film sensitivity can be

set; and

details that can be reset by said reset control unit

when said reset operation unit has been operated in a  
given setting selected by said mode setting unit only

5 include a numerical value or a state that can be set in  
said setting.

Cond  
Sub A3

ADD  
A4

ADD  
C4

FOUO: 09769377-00280